

Fig. 1




Fig. 2




Fig. 3

```

[Initialize]
WindowState = NORMAL
Display = Image
DisplayWidth = 11505
BorderWidth = 2
SkipInactivePorts = True
Images_Across = 4
Images_Down = 2
Ref_Image_Width = 352
Ref_Image_Height = 240
ShowHighlightFrames = TRUE
ShowRecordIndicators = TRUE
ShowCameraCaptions = TRUE
ShowPortNumbers = TRUE

PingTimeout = 5000
PingOnImageRequest = FALSE
HighlightFrameColor = 16744448
;HighlightFrameColor = &H00&
FlashFrameColor = &H000000FF&
ViewBackColor = &H00808080&
CameraCaptionForeColor =
&H00FF00&
CameraCaptionBackColor = &H00&
TCPPort = 1111
HTTPPort = 80
MaxFailOverCount = 50
ReconnectAttemptIntervalSecs = 60
RecordMode = MULTIPLE, 24
RecordThumbNails = TRUE

RecordImagesBasePath = C:\Test
DefaultEmailRecipient
=marchesej@teleweb.net
EmailUserID = marchese2
EmailUserPW = sdsdsdsd
ShowMotionBorder = TRUE
EnableStatusLog = TRUE
EnableErrorLog = TRUE
[Camera Servers]
Camera_Database = C:\Program
Files\Softsite32\Database\SoftSite.mdb
[Stream Applet]
StreamViewMode = 2
StreamIntervalSeconds = 0
StreamMaxFPS = 0
StreamRecord = 0

```

Fig. 4




Fig. 5




Fig. 6

| Server Setup Tabs | | | |
|---|---|---|--|
| Connection | Switch Inputs | Relay Output | Host Scripting |
| Set Camera Server IP, Name, and MAC address, etc. | Set Camera Server Digital Switch Input characteristics | Set Camera Server Digital Relay Output characteristics | Set Camera Server CRON Script text for Triggering conditions |

Fig. 7

| Camera Setup Tabs | | | | | |
|---|---|---|--|---|--|
| Info | Presets | Displayed Image | Switch Inputs | Recording | Email |
| Set Camera Name, PTZ, and reference fields | Set Camera Positional present for PTZ | Set Camera Image types for Thumbnail, Motion and record functions | Logically binds Digital outputs to a camera port for triggering requests | Set Automatic recording options for interval recording a camera | Set email address for email notifications |
| | | | | | Set optional User IDs to use with limited bandwidth settings |

Fig. 8




Fig. 9




Fig. 10




Fig. 11

AutoIndex Menu Selection




Fig. 12a

Deletion Menu Selection




Fig. 12b




Fig. 13




Fig. 14a




Fig. 14b




Fig. 14c




Fig. 15




Fig. 16




Fig. 17a




Fig. 17b